








BEADLOCK FITTINGS

| ILLUSTRATION | ALUMINUM BEADLOCK | ALUMINUM REDUCED BEADLOCK | STEEL BEADLOCK | STEEL REDUCED BEADLOCK | THREAD | F | H | VALVE |
|---|-------------------|---------------------------|----------------|------------------------|-----------|----|----|-------|
|  <p>STRAIGHT FEMALE FLARE (FF)</p> | 101-15301 | 101-11301 | 101-14301 | | 5/8-18 | 6 | 6 | |
| | 101-15302 | 101-11302 | 101-14302 | | 3/4-16 | 8 | 8 | |
| | 101-15303 | 101-11303 | 101-14303 | | 7/8-14 | 10 | 10 | |
| | 101-15304 | 101-11304 | 101-14304 | | 1 1/16-14 | 12 | 12 | |
| | 101-15305 | 101-11305 | 101-14304 | | 5/8-18 | 6 | 8 | |
| | 101-15307 | 101-11307 | | | 3/4-16 | 8 | 10 | |
| | 101-15308 | | 101-14308 | | 7/8-14 | 10 | 12 | |
| | 101-15306 | | 101-14306 | | 3/4-16 | 8 | 6 | |
|  <p>45° FEMALE FLARE (FF)</p> | 101-15311 | 101-11311 | 101-14311 | | 5/8-18 | 6 | 6 | |
| | 101-15312 | 101-11312 | 101-14312 | | 3/4-16 | 8 | 8 | |
| | 101-15313 | 101-11313 | 101-14313 | | 7/8-14 | 10 | 10 | |
| | 101-15314 | 101-11314 | 101-14314 | | 1 1/16-14 | 12 | 12 | |
| | 101-15315 | | | | 5/8-18 | 6 | 8 | |
| | 101-15316 | | | | 3/4-16 | 8 | 10 | |
| | 101-15319 | | 101-14319 | | 7/8-14 | 10 | 12 | |
| | 101-15317 | | | | 3/4-16 | 8 | 6 | |
| 101-15320 | | | | 7/8-14 | 10 | 8 | | |
|  <p>90° FEMALE FLARE (FF)</p> | 101-15321 | 101-11321 | 101-14321 | | 5/8-18 | 6 | 6 | |
| | 101-15322 | 101-11322 | 101-14322 | | 3/4-16 | 8 | 8 | |
| | 101-15323 | 101-11323 | 101-14323 | | 7/8-14 | 10 | 10 | |
| | 101-15324 | 101-11324 | 101-14324 | | 1 1/16-14 | 12 | 12 | |
| | 101-15325 | | | | 5/8-18 | 6 | 8 | |
| | 101-15327 | | 101-14327 | | 3/4-16 | 8 | 10 | |
| | 101-15329 | | 101-14329 | | 7/8-14 | 10 | 12 | |
| | 101-15326 | | 101-14326 | | 3/4-16 | 8 | 6 | |
| 101-15328 | | | | 7/8-14 | 10 | 8 | | |
|  <p>STRAIGHT FEMALE O-RING (FOR)</p> | 101-15401 | 101-11401 | 101-14401 | 101-17901 | 5/8-18 | 6 | 6 | |
| | 101-15402 | 101-11402 | 101-14402 | 101-17902 | 3/4-16 | 8 | 8 | |
| | 101-15403 | 101-11403 | 101-14403 | 101-17903 | 7/8-14 | 10 | 10 | |
| | 101-15404 | 101-11404 | 101-14404 | 101-17904 | 1 1/16-14 | 12 | 12 | |
| | 101-15405 | 101-11405 | 101-14405 | 101-17905 | 5/8-18 | 6 | 8 | |
| | 101-15407 | 101-11407 | 101-14407 | 101-17907 | 3/4-16 | 8 | 10 | |
| | 101-15410 | 101-11410 | 101-14410 | | 7/8-14 | 10 | 12 | |
| | 101-15406 | 101-11406 | 101-14406 | | 3/4-16 | 8 | 6 | |
| | 101-15409 | 101-11409 | | 101-17909 | 1 1/16-14 | 12 | 10 | |







BEADLOCK FITTINGS

| ILLUSTRATION | ALUMINUM BEADLOCK | ALUMINUM REDUCED BEADLOCK | STEEL BEADLOCK | STEEL REDUCED BEADLOCK | THREAD | F | H | VALVE |
|---|-------------------|---------------------------|----------------|------------------------|-----------|----|----|------------|
|  <p>SERVICE VALVE</p> <p>STRAIGHT FEMALE O-RING (FOR) WITH SERVICE VALVE</p> | 101-15441 | | 101-14445 | 101-17941 | 5/8-18 | 6 | 6 | 1/4" R12 |
| | 101-19401 | 101-11441 | 101-14441 | 101-17961 | 5/8-18 | 6 | 6 | 16mm R134a |
| | 101-15442 | 101-11442 | 101-14442 | 101-17942 | 3/4-16 | 8 | 8 | 1/4" R12 |
| | 101-15446 | | 101-14446 | | 3/4-16 | 8 | 8 | M12 |
| | 101-19402 | 101-11465 | 101-14465 | 101-17965 | 3/4-16 | 8 | 8 | 16mm R134a |
| | 101-15443 | 101-11443 | 101-14443 | 101-17943 | 7/8-14 | 10 | 10 | 1/4" R12 |
| | 101-19403 | | 101-14466 | 101-17966 | 7/8-14 | 10 | 10 | 13mm R134a |
| | 101-15445 | | | | 1 1/16-14 | 12 | 12 | 1/4" R12 |
| | 101-19404 | | | 101-17967 | 1 1/16-14 | 12 | 12 | 13mm R134a |
| | 101-15444 | | | | 7/8-14 | 10 | 12 | 1/4" R12 |
| | 101-19405 | 101-11468 | 101-14468 | 101-17968 | 7/8-14 | 10 | 12 | 13mm R134a |
| | 101-19406 | | | | 3/4-16 | 8 | 6 | 16mm R134a |
|  <p>45° FEMALE O-RING (FOR)</p> | 101-15411 | 101-11411 | 101-14411 | 101-17911 | 5/8-18 | 6 | 6 | |
| | 101-15412 | 101-11412 | 101-14412 | 101-17912 | 3/4-16 | 8 | 8 | |
| | 101-15413 | 101-11413 | 101-14413 | 101-17913 | 7/8-14 | 10 | 10 | |
| | 101-15414 | 101-11414 | 101-14414 | 101-17914 | 1 1/16-14 | 12 | 12 | |
| | 101-15415 | 101-11415 | 101-14415 | 101-17915 | 5/8-18 | 6 | 8 | |
| | 101-15416 | 101-11416 | 101-14416 | 101-17916 | 3/4-16 | 8 | 10 | |
| | 101-15417 | 101-11417 | 101-14417 | 101-17917 | 7/8-14 | 10 | 12 | |
|  <p>SERVICE VALVE</p> <p>45° FEMALE O-RING (FOR) WITH SERVICE VALVE</p> | 101-15418 | | 101-14418 | 101-17918 | 5/8-18 | 6 | 6 | 1/4" R12 |
| | 101-19411 | | 101-14471 | 101-17971 | 5/8-18 | 6 | 6 | 16mm 134a |
| | 101-15419 | | 101-14419 | 101-17919 | 3/4-16 | 8 | 8 | 1/4" R12 |
| | 101-19412 | 101-11472 | 101-14472 | 101-17972 | 3/4-16 | 8 | 8 | 16mm 134a |
| | 101-15461 | | | | 3/4-16 | 8 | 8 | M12 |
| | 101-15420 | | 101-14420 | 101-17920 | 7/8-14 | 10 | 10 | 1/4" R12 |
| | 101-19413 | 101-11473 | 101-14473 | 101-17973 | 7/8-14 | 10 | 10 | 13mm 134a |
| | 101-15438 | | | | 1 1/16-14 | 12 | 12 | 1/4" R12 |
| | 101-19414 | | | | 1 1/16-14 | 12 | 12 | 13mm 134a |
| | 101-15428 | | | | 1 1/16-14 | 10 | 12 | 1/4" R12 |
| | 101-19415 | | 101-14474 | 101-17975 | 7/8-14 | 10 | 12 | 13mm 134a |

F=Fitting Size H=Hose Size







BEADLOCK FITTINGS






| ILLUSTRATION | ALUMINUM BEADLOCK | ALUMINUM REDUCED BEADLOCK | STEEL BEADLOCK | STEEL REDUCED BEADLOCK | THREAD | F | H | VALVE |
|--|-------------------|---------------------------|----------------|------------------------|-----------|----|----|-----------|
|  <p>90° FEMALE O-RING (FOR)</p> | 101-15421 | 101-11421 | 101-14421 | 101-17921 | 5/8-18 | 6 | 6 | |
| | 101-15422 | 101-11422 | 101-14422 | 101-17922 | 3/4-16 | 8 | 8 | |
| | 101-15423 | 101-11423 | 101-14423 | 101-17923 | 7/8-14 | 10 | 10 | |
| | 101-15424 | 101-11424 | 101-14424 | 101-17924 | 1 1/16-14 | 12 | 12 | |
| | 101-15425 | 101-11425 | 101-14425 | 101-17925 | 5/8-18 | 6 | 8 | |
| | 101-15427 | 101-11427 | 101-14427 | 101-17927 | 3/4-16 | 8 | 10 | |
| | 101-15429 | 101-11429 | 101-14429 | 101-17929 | 7/8-14 | 10 | 12 | |
| | 101-15426 | 101-11426 | 101-14426 | 101-17926 | 3/4-16 | 8 | 6 | |
| | 101-15430 | 101-11430 | 101-14430 | 101-17930 | 1 1/16-14 | 12 | 10 | |
|  <p>90° FEMALE O-RING (FOR) WITH SERVICE VALVE</p> | 101-15431 | | 101-14431 | 101-17931 | 5/8-18 | 6 | 6 | 1/4" R12 |
| | 101-19421 | 101-11431 | 101-14432 | 101-17976 | 5/8-18 | 6 | 6 | 16mm 134a |
| | 101-15432 | | 101-14436 | 101-17932 | 3/4-16 | 8 | 8 | 1/4" R12 |
| | 101-19422 | 101-11432 | 101-14482 | 101-17977 | 3/4-16 | 8 | 8 | 16mm 134a |
| | 101-15437 | | 101-14437 | | 3/4-16 | 8 | 8 | 12mm |
| | 101-15433 | | 101-14438 | 101-17938 | 7/8-14 | 10 | 10 | 1/4" R12 |
| | 101-19423 | 101-11433 | 101-14483 | 101-17978 | 7/8-14 | 10 | 10 | 13mm 134a |
| | 101-19424 | | 101-14485 | | 1 1/16-14 | 12 | 12 | 13mm 134a |
| | 101-15435 | | 101-14439 | 101-17939 | 7/8-14 | 10 | 12 | 1/4" R12 |
| | 101-19425 | 101-11434 | 101-14484 | 101-17979 | 7/8-14 | 10 | 12 | 13mm 134a |
|  <p>90° MALE SPRINGLOCK (FSL)</p> | 101-15450 | | 101-14450 | | 5/8-18 | 6 | 6 | |
| | 101-15451 | 101-11541 | 101-14451 | | 3/4-16 | 8 | 8 | |
| | | | 101-14452 | 101-17952 | 7/8-14 | 10 | 10 | |
| | 101-15543 | | 101-14453 | | 1 1/16-14 | 12 | 12 | |
|  <p>STRAIGHT MALE O-RING (MOR)</p> | 101-15101 | 101-11101 | 101-14101 | 101-17701 | 5/8-18 | 6 | 6 | |
| | 101-15102 | 101-11102 | 101-14102 | 101-17702 | 3/4-18 | 8 | 8 | |
| | 101-15103 | 101-11103 | 101-14103 | 101-17703 | 7/8-18 | 10 | 10 | |
| | 101-15104 | 101-11104 | 101-14104 | 101-17704 | 1 1/16-16 | 12 | 12 | |
| | 101-15105 | | 101-14105 | 101-17705 | 5/8-18 | 6 | 8 | |
| | 101-15107 | | | 101-17707 | 3/4-18 | 8 | 10 | |
| | 101-15109 | 101-11109 | 101-14109 | 101-17709 | 7/8-18 | 10 | 12 | |
| | 101-15106 | | 101-14106 | | 3/4-18 | 8 | 6 | |

F=Fitting Size H=Hose Size






BEADLOCK FITTINGS

| ILLUSTRATION | ALUMINUM BEADLOCK | ALUMINUM REDUCED BEADLOCK | STEEL BEADLOCK | STEEL REDUCED BEADLOCK | THREAD | F | H | VALVE |
|--|---|---|---|--|---|------------------------------------|------------------------------------|--|
|  <p style="text-align: center;">STRAIGHT MALE O-RING (MOR) WITH SERVICE VALVE</p> | 101-19101 101-19102 101-19103 101-19104 | | 101-18511 101-18513 101-18514 100-18514 100-18515 | 101-17711 | 5/8-18 3/4-18 7/8-18 1 1/16-16 7/8-18 7/8-18 | 6 8 10 12 10 10 | 6 8 10 12 12 12 | 16mm R134a 16mm R134a 13mm R134a 13mm R134a 1/4" R12 13mm R134a |
|  <p style="text-align: center;">45° MALE O-RING (MOR)</p> | 101-15111 101-15112 101-15113 101-15114 101-15115 101-15116 | 101-11111 101-11112 101-11113 101-11114 | 101-14111 101-14112 101-14113 101-14114 101-14115 101-14116 | 101-17721 101-17722 101-17723 101-17724 101-17725 | 5/8-18 3/4-18 7/8-18 1 1/16-16 3/4-18 5/8-18 | 6 8 10 12 8 6 | 6 8 10 12 6 8 | |
|  <p style="text-align: center;">45° MALE O-RING (MOR)</p> | 101-19111 101-19112 101-19113 101-19114 | | | | 5/8-18 3/4-18 7/8-18 1 1/16-16 3/4-18 5/8-18 | 6 8 10 12 8 6 | 6 8 10 12 | 16mm R134a 16mm R134a 13mm R134a 13mm R134a |
|  <p style="text-align: center;">90° MALE O-RING (MOR)</p> | 101-15121 101-15122 101-15123 101-15124 101-15125 101-15130 101-15126 | 101-11121 101-11122 101-11123 101-11124 101-11130 | 101-14121 101-14122 101-14123 101-14124 101-14125 101-14129 101-14126 | 101-17121 101-17122 101-17123 101-17124 101-17125 101-17129 | 5/8-18 3/4-18 7/8-18 1 1/16-16 5/8-18 7/8-14 3/4-18 | 6 8 10 12 6 10 8 | 6 8 10 12 8 12 6 | |

BEADLOCK FITTINGS





| ILLUSTRATION | ALUMINUM BEADLOCK | ALUMINUM REDUCED BEADLOCK | STEEL BEADLOCK | STEEL REDUCED BEADLOCK | THREAD | F | H | VALVE |
|---|-------------------|---------------------------|----------------|------------------------|-----------|----|----|------------|
|  <p>90° MALE O-RING WITH SERVICE VALVE</p> | 101-19121 | | 101-18516 | | 5/8-18 | 6 | 6 | 16mm R134a |
| | 101-19122 | | | | 3/4-18 | 8 | 8 | 16mm R134a |
| | 101-19123 | | 101-18518 | 101-17980 | 7/8-18 | 10 | 10 | 13mm R134a |
| | 101-19124 | | | | 1 1/16-16 | 12 | 12 | 13mm R134a |
| | 101-15136 | | | | 1 1/16-16 | 12 | 12 | 1/4" R12 |
| | 101-19125 | | 101-18521 | | 7/8-18 | 10 | 12 | 13mm R134a |
|  <p>STRAIGHT MALE INSERT O-RING (MIO)</p> | 101-15201 | 101-11201 | 101-14201 | 101-17201 | 5/8-18 | 6 | 6 | |
| | 101-15202 | 101-11202 | 101-14202 | 101-17202 | 3/4-16 | 8 | 8 | |
| | 101-15203 | 101-11203 | 101-14203 | 101-17203 | 7/8-14 | 10 | 10 | |
| | 101-15204 | 101-11204 | 101-14204 | 101-17204 | 1 1/16-14 | 12 | 12 | |
| | | | 101-14207 | | 3/4-16 | 10 | 12 | |
|  <p>45° MALE INSERT O-RING (MIO)</p> | 101-15211 | 101-11211 | 101-14211 | | 5/8-18 | 6 | 6 | |
| | 101-15212 | 101-11212 | 101-14212 | | 3/4-16 | 8 | 8 | |
| | 101-15213 | 101-11213 | 101-14213 | | 7/8-14 | 10 | 10 | |
| | 101-15214 | | | | 1 1/16-14 | 12 | 12 | |
|  <p>90° MALE INSERT O-RING (MIO)</p> | 101-15221 | 101-11221 | 101-14221 | 101-17221 | 5/8-18 | 6 | 6 | |
| | 101-15222 | 101-11222 | 101-14222 | | 3/4-16 | 8 | 8 | |
| | 101-15223 | 101-11223 | 101-14223 | 101-17223 | 7/8-14 | 10 | 10 | |
|  <p>STRAIGHT MALE INSERT O-RING (MIO) WITH SERVICE VALVE</p> | 101-15225 | | | | 5/8-18 | 6 | 6 | 1/4" R12 |
| | 101-19201 | | | | 5/8-18 | 6 | 6 | 16mm R134a |
| | 101-15226 | | | | 3/4-16 | 8 | 8 | 1/4" R12 |
| | 101-19202 | | | | 3/4-16 | 8 | 8 | 16mm R134a |
| | 101-15227 | | | | 7/8-14 | 10 | 10 | 1/4" R12 |
| | 101-19203 | | | | 7/8-14 | 10 | 10 | 13mm R134a |
| | 101-15228 | | | | 1 1/16-14 | 12 | 12 | 1/4" R12 |
| | 101-19204 | | | | 1 1/16-14 | 12 | 12 | 13mm R134a |

BEADLOCK FITTINGS

| ILLUSTRATION | ALUMINUM BEADLOCK | ALUMINUM REDUCED BEADLOCK | STEEL BEADLOCK | STEEL REDUCED BEADLOCK | THREAD | F | H | VALVE |
|---|--|---------------------------|----------------|------------------------|---|-------------------------------|-------------------------------|--|
|  <p>SERVICE VALVE</p> <p>45° MALE INSERT O-RING (MIO) WITH SERVICE VALVE</p> | 101-19211 101-19212 101-19213 101-19214 | | | | 5/8-18 3/4-16 7/8-14 1 1/16-14 | 6 8 10 12 | 6 8 10 12 | 16mm R134a 16mm R134a 13mm R134a 13mm R134a |
|  <p>SERVICE VALVE</p> <p>90° MALE INSERT O-RING (MIO) WITH SERVICE VALVE</p> | 101-19221 101-19222 101-19223 101-19224 | | | | 5/8-18 3/4-16 7/8-14 1 1/16-14 | 6 8 10 12 | 6 8 10 12 | 16mm R134a 16mm R134a 13mm R134a 13mm R134a |
|  <p>STRAIGHT FEMALE SPRINGLOCK (FSL)</p> | 101-15701 101-15702 101-15703 101-15704 101-15705 101-15707 | | | | NA NA NA NA NA NA | 6 8 10 12 8 10 | 6 8 10 12 6 12 | |
|  <p>45° FEMALE SPRINGLOCK (FSL)</p> | 101-15711 101-15712 101-15713 101-15714 101-15719 101-15720 | | | | NA NA NA NA NA NA | 6 8 10 12 10 8 | 6 8 10 12 12 6 | |
|  <p>90° FEMALE SPRINGLOCK (FSL)</p> | 101-15721 101-15722 101-15723 101-15724 101-15725 101-15726 | | | | NA NA NA NA NA NA | 6 8 10 12 10 8 | 6 8 10 12 12 6 | |







BEADLOCK FITTINGS

| ILLUSTRATION | ALUMINUM BEADLOCK | ALUMINUM REDUCED BEADLOCK | STEEL BEADLOCK | STEEL REDUCED BEADLOCK | THREAD | F | H | VALVE |
|--|--|---------------------------|---|--|--|--|---|-------|
|  <p>STRAIGHT MALE SPRINGLOCK (FSL)</p> | 101-15736 101-15735 101-15734 101-15733 101-15732 101-15731 | | | | NA NA NA NA NA NA | 6 8 10 12 10 8 | 6 8 10 12 12 6 | |
|  <p>45° MALE SPRINGLOCK (FSL)</p> | 101-15748 101-15746 101-15745 101-15744 101-15749 101-15750 | 101-11749 | | | NA NA NA NA NA NA | 6 8 10 12 10 8 | 6 8 10 12 12 6 | |
|  <p>90° MALE SPRINGLOCK (FSL)</p> | 101-15751 101-15762 101-15763 101-15754 101-15765 101-15764 | 101-11562 | | | NA NA NA NA NA NA | 6 8 10 12 10 8 | 6 8 10 12 12 6 | |
|  <p>METRIC THREADS STRAIGHT FEMALE O-RING (FOR)</p> | 101-15801 101-15802 101-15806 101-15804 101-15803 101-15807 101-15805 101-15808 | 101-11803 | 101-14801 101-14802 101-14806 101-14804 101-14803 | 101-17803 101-17808 | 9/16-18 M16 x 1.5 M18 x 1.5 M20 x 1.5 M20 x 1.5 M22 x 1.5 M24 x 2.0 M27 x 2.0 | 5 M16 M18 M20 M20 M22 M24 M27 | 6 6 6 6 8 10 10 12 | |

F=Fitting Size H=Hose Size

BEADLOCK FITTINGS

| ILLUSTRATION | ALUMINUM BEADLOCK | ALUMINUM REDUCED BEADLOCK | STEEL BEADLOCK | STEEL REDUCED BEADLOCK | THREAD | F | H | VALVE |
|---|--|--|--|-------------------------------------|--|--|---|-------|
|  <p style="text-align: center;">METRIC THREADS 45° FEMALE O-RING (FOR)</p> | 101-15811 101-15812 101-15816 101-15814 101-15813 101-15817 101-15815 101-15818 | 101-11816 101-11814 101-11813 101-11818 | 101-14811 101-14812 | 101-17816 101-17813 101-17818 | 9/16-18 M16 x 1.5 M18 x 1.5 M20 x 1.5 M20 x 1.5 M22 x 1.5 M24 x 2.0 M27 x 2.0 | 5 M16 M18 M20 M20 M22 M24 M27 | 6 6 6 6 8 10 10 12 | |
|  <p style="text-align: center;">METRIC THREADS 90 FEMALE O-RING (FOR)</p> | 101-15821 101-15822 101-15826 101-15824 101-15823 101-15827 101-15825 101-15828 | 101-11826 101-11823 101-11828 | 101-14821 101-14822 101-14826 101-14824 101-14823 101-14825 | 101-17823 101-17828 | 9/16-18 M16 x 1.5 M18 x 1.5 M20 x 1.5 M20 x 1.5 M22 x 1.5 M24 x 2.0 M27 x 2.0 | 5 M16 M18 M20 M20 M22 M24 M27 | 6 6 6 6 8 10 10 12 | |
|  <p style="text-align: center;">STRAIGHT #7 MALE O-RING (MOR)</p> | 101-15139 | | 101-15780 | 101-17780 | 11/16 | 7 | 6 | |
|  <p style="text-align: center;">90 #7 MALE O-RING (MOR)</p> | 101-15140 | | 101-15781 | 101-17781 | 11/16 | 7 | 6 | |