



FA#	Compressor Model	Mount Type	Clutch Dia [mm]	Clutch Type	Armature Type	Clutch Voltage	Diode	Clutch wire(s)	Fitting Type	Fitting Orientation	Fitting Type	Fitting Size	R12 or R134a	Connector Type
600-60071	TM15	Ear	135	2AG	3-eye	12V		1	Monolithic	Vertical	O'Ring	3/4 x 7/8	R12	bullet
600-60083	TM15	Ear	135	2AG	3-eye	12V		1	Bolt-on	Vertical	O'Ring	3/4 x 7/8	R12	bullet
600-60087	TM15	Ear	159	VGR	3-eye	12V		1	Bolt-on	Vertical	O'Ring	3/4 x 7/8	R12	bullet
600-60274	TM15	Ear	135	2AG	3-eye	12V		1	Monolithic	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60328	TM15	Ear	135	2AG	3-eye	12V		1	Bolt-on	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60329	TM13	Ear	135	2AG	3-eye	12V		1	Monolithic	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60332	TM08	Alternator	123	4GR	3-eye	12V		1	Monolithic	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60333	TM13	Ear	123	6GR	3-eye	12V		1	Monolithic	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60334	TM13	Ear	123	6GR	3-eye	12V		1	Bolt-on	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60335	TM13	Ear	135	2AG	3-eye	12V		1	Bolt-on	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60337	TM15	Ear	135	2AG	3-eye	12V		1	Bolt-on	Horizontal	O'Ring	3/4 x 7/8	R134a	bullet
600-60338	TM15	Ear	147	SOH	leaf-spring	12V		1	Bolt-on	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60340	TM15	Ear	159	VGR	3-eye	12V		1	Bolt-on	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60341	TM15	Ear	135	2AG	3-eye	24V		1	Bolt-on	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60342	TM15	Ear	123	6GR	3-eye	12V		1	Bolt-on	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60344	TM15	Ear	135	2AG	3-eye	12V	Yes	1	Bolt-on	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60346	TM15	Ear	159	VGR	3-eye	24V		1	Monolithic	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60352	TM16	Ear	135	2AG	3-eye	12V		1	Monolithic	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60353	TM08	Alternator	135	2AG	3-eye	12V		1	Monolithic	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60357	TM15	Ear	135	2AG	3-eye	24V		1	Bolt-on	Horizontal	O'Ring	3/4 x 7/8	R134a	bullet
600-60362	TM15	Ear	123	8GR	3-eye	12V		1	Bolt-on	Horizontal	O'Ring	3/4 x 7/8	R134a	bullet
600-60370	TM15	Ear	125	2AG	leaf-spring	12V		1	Bolt-on	Horizontal	tube "o"	1 X 14	R134a	bullet
600-60371	TM15	Ear	123	8GR	3-eye	12V		1	Monolithic	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60372	TM16	Ear	135	2AG	3-eye	12V		1	Bolt-on	Horizontal	O'Ring	3/4 x 7/8	R134a	bullet
600-60373	TM16	Ear	123	8GR	3-eye	12V		1	Bolt-on	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60377	TM15	Ear	123	8GR	3-eye	24V		1	Bolt-on	Horizontal	O'Ring	3/4 x 7/8	R134a	bullet
600-60379	TM16	Ear	135	2AG	3-eye	24V		1	Bolt-on	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60380	TM13	Ear	147	SOH	leaf-spring	12V		1	Monolithic	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60381	TM15	Ear	123	6GR	3-eye	12V		1	Bolt-on	Horizontal	O'Ring	3/4 x 7/8	R134a	



FA#	Compressor Model	Mount Type	Clutch Dia [mm]	Clutch Type	Armature Type	Clutch Voltage	Diode	Clutch wire(s)	Fitting Type	Fitting Orientation	Fitting Type	Fitting Size	R12 or R134a	Connector Type
600-60382	TM08	Alternator	123	6GR	3-eye	12V		1	Monolithic	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60384	TM15	Ear	123	8GR	3-eye	12V		1	Bolt-on	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60385	TM13	Ear	125	2AG	leaf-spring	12V		1	Monolithic	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60387	TM08	Alternator	135	2AG	3-eye	24V		1	Monolithic	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60388	TM16	Ear	123	8GR	3-eye	12V		1	Monolithic	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60389	TM15	Ear	135	2AG	3-eye	24V		1	Bolt-on	none	PAD	n/a	R134a	bullet
600-60395	TM13	Ear	123	8GR	3-eye	12V		1	Bolt-on	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60396	TM13	Ear	123	8GR	3-eye	12V		1	Bolt-on	Horizontal	O'Ring	3/4 x 7/8	R134a	bullet
600-60398	TM15	Ear	123	8GR	3-eye	12V		1	Bolt-on	Horizontal	tube "o"	1 X 14	R134a	bullet
600-60408	TM16	Ear	135	2AG	3-eye	12V		1	Bolt-on	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60410	TM15	Ear	135	2AG	3-eye	12V		1	Bolt-on	none	PAD	n/a	R134a	bullet
600-60411	TM16	Ear	135	2AG	3-eye	24V		1	Monolithic	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60412	TM16	Ear	123	6GR	3-eye	12V		1	Monolithic	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60413	TM13	Ear	123	8GR	3-eye	12V		1	Monolithic	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60414	TM16	Ear	159	VGR	3-eye	12V		1	Bolt-on	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60415	TM16	Ear	123	8GR	3-eye	12V		1	Bolt-on	Vertical	O'Ring	3/4 x 7/8	R134a	weatherpack
600-60419	TM15	Ear	135	2AG	3-eye	24V		1	Monolithic	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60421	TM15	Ear	147	SOH	leaf-spring	12V		1	Monolithic	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60422	TM15	Ear	123	6GR	leaf-spring	12V		1	Monolithic	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60424	TM13	Ear	123	8GR	leaf-spring	12V		1	Monolithic	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60425	TM15	Ear	135	2AG	3-eye	24V		1	Bolt-on	Horizontal	tube "o"	1 X 14	R134a	bullet
600-60426	TM15	Ear	123	8GR	3-eye	24V		1	Monolithic	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60427	TM13	Ear	135	2AG	3-eye	24V		1	Bolt-on	Horizontal	O'Ring	3/4 x 7/8	R134a	bullet
600-60428	TM16	Ear	135	2AG	3-eye	12V		1	Bolt-on	none	PAD	n/a	R134a	bullet
600-60430	TM16	Ear	123	8GR	3-eye	12V		1	Bolt-on	Horizontal	tube "o"	1 X 14	R134a	bullet
600-60431	TM16	Ear	125	2AG	3-eye	12V		1	Bolt-on	Horizontal	O'Ring	3/4 x 7/8	R134a	bullet
600-60433	TM16	Ear	135	2AG	3-eye	24V		1	Bolt-on	Vertical	tube "o"	1 x 14	R134a	bullet
600-60434	TM16	Ear	135	2AG	3-eye	24V		1	Bolt-on	Horizontal	tube "o"	1 X 14	R134a	bullet
600-60436	TM15	Direct	123	8GR	3-eye	12V		1	Bolt-on	Horizontal	O'Ring	3/4 x 7/8	R134a	bullet



FA#	Compressor Model	Mount Type	Clutch Dia [mm]	Clutch Type	Armature Type	Clutch Voltage	Diode	Clutch wire(s)	Fitting Type	Fitting Orientation	Fitting Type	Fitting Size	R12 or R134a	Connector Type
600-60436	TM15	Direct	123	8GR	3-eye	12V		1	Bolt-on	Horizontal	O'Ring	3/4 x 7/8	R134a	bullet
600-60438	TM13	Ear	123	8GR	3-eye	12V		1	Bolt-on	Vertical	PAD	none	R134a	bullet
600-60439	TM16	Ear	123	8GR	3-eye	12V		1	Bolt-on	Horizontal	O'Ring	3/4 x 7/8	R134a	bullet
600-60440	TM16	Ear	123	8GR	3-eye	24V		1	Bolt-on	Horizontal	O'Ring	3/4 x 7/8	R134a	bullet
600-60442	TM13	Ear	135	2AG	3-eye	24V		1	Bolt-on	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60443	TM13	Ear	135	2AG	3-eye	12V		1	Bolt-on	Horizontal	O'Ring	3/4 x 7/8	R134a	bullet
600-60444	TM16	Ear	123	6GR	3-eye	12V		1	Bolt-on	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60445	TM16	Ear	123	8GR	3-eye	12V		1	Bolt-on	Vertical	tube "o"	1 X 14	R134a	bullet
600-60446	TM16	Ear	135	2AG	3-eye	12V		1	Bolt-on	Vertical	tube "o"	1 X 14	R134a	bullet
600-60447	TM08	Ear	135	2AG	3-eye	12V		1	Monolithic	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60454	TM15	Ear	135	2AG	3-eye	12V		1	Bolt-on	Vertical	tube "o"	1 X 14	R134a	bullet
600-60455	TM15	Direct	123	6GR	leaf-spring	12V		1	Bolt-on	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60457	TM15	Ear	123	6GR	3-eye	12V		1	Monolithic	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60458	TM15	Ear	152	2AG	Dust Cover	12V		1	Bolt-on	Horizontal	O'Ring	3/4 x 7/8	R134a	bullet
600-60459	TM15	Ear	123	8GR	leaf-spring	12V		1	Monolithic	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60460	TM15	Ear	135	2AG	leaf-spring	12V		1	Monolithic	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60461	TM13	Ear	135	2AG	leaf-spring	12V		1	Monolithic	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60462	TM13	Ear	123	6GR	leaf-spring	12V		1	Monolithic	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60463	TM13	Ear	123	8GR	leaf-spring	12V		1	Bolt-on	none	PAD	n/a	R134a	bullet
600-60466	TM16	Ear	135	2AG	3-eye	24V		1	Bolt-on	none	PAD	n/a	R134a	bullet
600-60467	TM15	Ear	123	6GR	3-eye	24V		1	Bolt-on	Horizontal	O'Ring	3/4 x 7/8	R134a	bullet
600-60468	TM16	Ear	147	SOH	leaf-spring	12V		1	Bolt-on	none	PAD	n/a	R134a	bullet
600-60469	TM15	Ear	123	8GR	3-eye	12V		1	Bolt-on	none	PAD	n/a	R134a	bullet
600-60470	TM15	Ear	125	2AG	leaf-spring	12V		1	Bolt-on	none	PAD	n/a	R134a	bullet
600-60471	TM15	Ear	123	8GR	3-eye	24V		1	Bolt-on	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60472	TM08	Alternator	123	4GR	leaf-spring	12V		1	Monolithic	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60476	TM08	Ear	123	6GR	3-eye	12V		1	Monolithic	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60476	TM08	Ear	123	6GR	3-eye	12V		1	Monolithic	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60477	TM16	Ear	123	8GR	3-eye	12V		1	Bolt-on	none	PAD	n/a	R134a	bullet



FA#	Compressor Model	Mount Type	Clutch Dia [mm]	Clutch Type	Armature Type	Clutch Voltage	Diode	Clutch wire(s)	Fitting Type	Fitting Orientation	Fitting Type	Fitting Size	R12 or R134a	Connector Type
600-60479	TM15	Ear	135	2AG	3-eye	12V	Yes	1	Monolithic	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60480	TM16	Ear	152	2AG	Dust Cover	24V		1	Bolt-on	none	PAD	n/a	R134a	bullet
600-60482	TM15	Ear	125	2AG	leaf-spring	12V		1	Monolithic	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60483	TM16	Ear	159	VGR	3-eye	24V		1	Monolithic	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60485	TM08	Alternator	135	2AG	leaf-spring	12V		1	Monolithic	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60487	TM15	Ear	152	2AG	Dust Cover	24V		1	Bolt-on	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60488	TM16	Ear	152	2AG	Dust Cover	24V		1	Bolt-on	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60493	TM16	Ear	159	VGR	3-eye	24V		1	Bolt-on	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60497	TM15	Ear	135	2AG	leaf-spring	24V		1	Bolt-on	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60500	TM15	Ear	135	2AG	3-eye	12V		1	Bolt-on	Horizontal	tube "o"	1 X 14	R134a	bullet
600-60501	TM16	Ear	135	2AG	leaf-spring	24V		1	Monolithic	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60502	TM16	Ear	123	6GR	3-eye	24V		1	Bolt-on	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60503	TM15	Ear	123	8GR	3-eye	24V		1	Bolt-on	none	PAD	n/a	R134a	bullet
600-60504	TM15	Ear	125	2AG	leaf-spring	12V		1	Bolt-on	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60507	TM16	Ear	135	2AG	leaf-spring	24V		1	Bolt-on	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60508	TM15	Ear	123	6GR	3-eye	12V		1	Bolt-on	Vertical	tube "o"	1 X 14	R134a	bullet
600-60509	TM15	Ear	147	SOH	leaf-spring	12V		1	Bolt-on	Vertical	O'Ring	3/4 x 7/8	R12	bullet
600-60522	TM13	Ear	125	2AG	3-eye	24V		1	Bolt-on	Horizontal	O'Ring	1 x 14	R134a	bullet
600-60525	TM16	Ear	125	2AG	leaf-spring	12V		1	Bolt-on	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60526	TM16	Ear	125	2AG	leaf-spring	12V		1	Monolithic	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60527	TM13	Ear	135	2AG	3-eye	24V		1	Monolithic	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60534	TM21	Direct	135	2AG	3-eye	12V		2	Bolt-on	none	PAD	n/a	R134a	bullet
600-60535	TM21	Direct	135	2AG	3-eye	24V		2	Bolt-on	none	PAD	n/a	R134a	bullet
600-60537	TM21	Direct	125	8GR	3-eye	24V		2	Bolt-on	none	PAD	n/a	R134a	bullet
600-60540	TM21	Direct	125	8GR	3-eye	12V		2	Bolt-on	none	PAD	n/a	R134a	bullet
600-60542	TM16	Ear	152	2AG	Dust Cover	12V		1	Bolt-on	none	PAD	n/a	R134a	bullet
600-60543	TM16	Ear	135	2AG	leaf-spring	12V		1	Bolt-on	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60547	TM16	Ear	123	8GR	3-eye	24V		1	Bolt-on	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60552	TM15	Ear	152	2AG	Dust Cover	12V		1	Bolt-on	none	PAD	n/a	R134a	bullet



FA#	Compressor Model	Mount Type	Clutch Dia [mm]	Clutch Type	Armature Type	Clutch Voltage	Diode	Clutch wire(s)	Fitting Type	Fitting Orientation	Fitting Type	Fitting Size	R12 or R134a	Connector Type
600-60553	TM15	Ear	152	2AG	Dust Cover	12V		1	Monolithic	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60555	TM16	Ear	123	8GR	3-eye	12V		2	Bolt-on	none	PAD	n/a	R134a	bullet
600-60556	TM08	Alternator	123	8GR	3-eye	12V		1	Monolithic	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60557	TM13	Ear	123	8GR	3-eye	24V		1	Bolt-on	Horizontal	O'Ring	3/4 x 7/8	R134a	bullet
600-60611	TM13	Ear	135	2AG	3-eye	24V		1	Bolt-on	Horizontal	tube "o"	1 X 14	R134a	bullet
600-60644	TM15	Ear	135	2AG	3-eye	12V	Yes	1	Bolt-on	Vertical	O'Ring	3/4 x 7/8	R12	weatherpack
600-60655	TM13	Ear	125	2AG	leaf-spring	12V		1	Bolt-on	none	PAD	n/a	R134a	bullet
600-60656	TM15	Ear	123	8GR	3-eye	12V		1	Monolithic	Vertical	O'Ring	3/4 x 7/8	R12	bullet
600-60657	TM13	Ear	123	6GR	3-eye	12V		1	Bolt-on	Horizontal	O'Ring	3/4 x 7/8	R134a	bullet
600-60658	TM15	Ear	125	2AG	leaf-spring	24V		1	Bolt-on	none	PAD	n/a	R134a	bullet
600-60666	TM13	Ear	123	8GR	3-eye	24V		1	Bolt-on	none	PAD	n/a	R134a	bullet
600-60677	TM16	Ear	125	2AG	leaf-spring	12V		1	Bolt-on	none	PAD	n/a	R134a	bullet
600-60678	TM15	Ear	123	6GR	3-eye	12V		1	Bolt-on	Horizontal	tube "o"	1 X 14	R134a	bullet
600-60679	TM13	Ear	123	8GR	3-eye	12V		1	Bolt-on	Vertical	tube "o"	1 x 14	R134a	bullet
600-60692	TM15	Direct	123	8GR	3-eye	12V		1	Bolt-on	Vertical	O'Ring	3/4 x 7/8	R134a	bullet
600-60722	TM16	Ear	135	2AG	3-eye	24V		1	Bolt-on	Horizontal	O'Ring	3/4 x 7/8	R134a	bullet
600-60730	TM15	Ear	135	2AG	3-eye	12V	Yes	1	Monolithic	Vertical	O'Ring	3/4 x 7/8	R12	bullet
600-60854	TM13	Ear	135	2AG	3-eye	12V		1	Bolt-on	Horizontal	tube "o"	1 X 14	R134a	bullet